



WOMEN'S PPE SAFETY PRODUCTS

www.pipcanada.ca



Women are important contributors on job sites and factory floors all across Canada. It is essential that they have access to PPE that is designed specifically to fit and protect them properly, providing them with peace of mind as they work. Oversized PPE in traditionally male-dominated industries can get in the way, reducing productivity and potentially leading to injury.

This guide outlines products selected to fit women, and that provide optimal comfort and certified protection on the job.

When it comes to keeping women safe on the job, fit matters.

7
MILLION

Approximately 7 million women are currently employed in the Canadian labor workforce



Approximately 1 out of 10 construction workers are female



Women make up nearly 1/3 of the manufacturing industry workforce in Canada



Proposed amendments to the Construction Projects Regulation in Ontario, if approved, would require that PPE (including protective clothing) be properly fitted to women. Said amendments would come into effect on July 1, 2023.

Workwear Designed for Women



Bisley

Bisley® is a leader in providing women's options that have been researched and designed to be comfortable, flattering for the female body shape, and most importantly to provide optimal protection on the job site.

THE WOMEN'S WORKWEAR DIFFERENCE

Silhouette: Women's shirts are cut and sewn to properly accommodate curves, whereas men's are cut straight. Darts are also sewn to the chest.

Sleeves: The location of the arm cut of a women's work shirt is sewn slightly tighter and the sleeve is generally shorter.

Hips: Clothing is cut, shaped and sewn to fit the hip width of the wearer. Men's designs are usually cut straight.

Chest: Women's shirts are sewn with additional space in the chest region to accommodate different bust sizes.

Hi-Visibility Tees



PC313W1118X

HI-VIS TEE

- ▶ Women's short sleeve
- ▶ 52% cotton, 48% polyester
- ▶ Heat sealed perforated reflective tape
- ▶ CSA Z96 Class 2
- ▶ ANSI/ISEA Type R Class 3



PC313W6118X

HI-VIS LONG SLEEVE

- ▶ Women's long sleeve
- ▶ 52% cotton, 48% polyester
- ▶ Heat sealed perforated reflective tape
- ▶ CSA Z96 Class 2
- ▶ ANSI/ISEA Type R Class 3

Hi-Visibility Shirts



PC313W6490X

HI-VIS X AIRFLOW™

- ▶ Women's X Airflow™ ventilation at multiple heat stress areas
- ▶ 88% polyester, 9% cotton, 3% spandex
- ▶ Lightweight stretch ripstop fabric and tape
- ▶ Permanent wicking
- ▶ CSA Z96 Class 2
- ▶ ANSI/ISEA Type R Class 3



PC313W6166X

HI-VIS DRILL SHIRT™

- ▶ Women's long sleeve
- ▶ 65% polyester, 35% cotton
- ▶ Stretch reflective tape
- ▶ Permanent wicking
- ▶ CSA Z96 Class 2
- ▶ ANSI/ISEA Type R Class 3

Hi-Vis Safety Vests

Hearing Protection

APPLICATIONS



CONSTRUCTION



AUTOMOTIVE



INDUSTRIAL



ELECTRICAL



MANUFACTURING



OIL AND GAS



PC3020207X

CONTOURED MESH VEST

- ▶ Mesh provides excellent breathability
- ▶ 2" silver reflective tape for maximum visibility
- ▶ Drawstring adjustable waist
- ▶ 2 external lower pockets
- ▶ CSA Z96 Class 2

PC3020208X - Orange



PC3020315XL

CONTOURED VEST

- ▶ Zippered front closure
- ▶ 2" silver reflective tape for maximum visibility
- ▶ Drawstring adjustable waist
- ▶ 2 outer zippered waist pockets
- ▶ CSA Z96 Class 2



PC3020515XL

SURVEYORS CONTOURED MESH VEST

- ▶ Solid front, mesh back provides excellent breathability
- ▶ Two-tone reflective tape
- ▶ Adjustable waist
- ▶ 6 pocket design
- ▶ CSA Z96 Class 2

PC3020515XOR - Orange

APPLICATIONS



CONSTRUCTION



AUTOMOTIVE



INDUSTRIAL



ELECTRICAL



MANUFACTURING



OIL AND GAS



28
NRR

NP267HPF310

NANO BULLET™ COMPACT DISPOSABLE POLYURETHANE FOAM EAR PLUGS

- ▶ Designed for shallow / narrow ear canals
- ▶ PowerSoft™ foam technology provides all-day comfort and ideal recovery time
- ▶ Easy to roll down and achieve a consistent / uniform fit

NP267HPF310C - Corded version



30
NRR

NP267HPF610C

EZ-TWIST™ DISPOSABLE SOFT POLYURETHANE FOAM CORDED EAR PLUGS

- ▶ Shape conforms to most ear canals
- ▶ Black PVC cord for convenience and to prevent loss of ear plugs

NP267HPF610 - Non-corded version



25
NRR

263-V2HB

PIP® V-SERIES™ EAR MUFFS

- ▶ Dielectric, metal-free earmuffs
- ▶ Smooth telescopic size adjustment
- ▶ Extra soft memory foam cushions

263-V2NB - Neckband version 25 NRR

263-V2CM - Cap mounted version 24 NRR

263-V2FB - Full brim version 25 NRR

Eye & Head Protection

APPLICATIONS



CONSTRUCTION



INDUSTRIAL



MANUFACTURING



OIL AND GAS



AUTOMOTIVE



ELECTRICAL



EMERGENCY RESPONDER



EP855

MINI-TECH™ FRAMELESS SAFETY GLASSES

- ▶ Designed for narrower and smaller faces
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nosepiece
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog
- ▶ CSA certified Z94.3-20



EP750

OTG EXTRA™ OVER THE GLASS SPECTACLES

- ▶ Large size lens to fit over prescription spectacles
- ▶ Extra soft nose piece adapts to multiple face types
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ CSA certified Z94.3-20



EP675G

VOLCANO PLUS™ SEALED FRAMELESS SAFETY GLASSES

- ▶ Removeable foam padding for better protection against dust and debris
- ▶ Dual injection arms for improved comfort and fit
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ CSA certified Z94.3-20

Our exclusive Sure-Lock™ suspensions have a wide range of adjustability, to accommodate users with smaller head sizes and with longer hair.



HP241R

WHISTLER™ HARD HAT WITH 4-POINT SUSPENSION, TYPE 1

- ▶ Lightweight HDPE shell features extra padding for comfort
- ▶ Sure-Lock™ wheel adjustment
- ▶ Precise height adjustment settings to ensure proper depth
- ▶ CSA Z89.1 Type 1, Class E

HP241RV - Vented version



HP542R

MONT-BLANC™ HARD HAT WITH 4-POINT SUSPENSION, TYPE 2

- ▶ Lightweight HDPE shell features foam lateral impact protection
- ▶ Sure-Lock™ wheel adjustment
- ▶ Precise height adjustment settings to ensure proper depth
- ▶ CSA Z89.1 Type 2, Class E

Hand Protection

PIP® is one of the largest manufacturers of knit work gloves in North America. From general purpose to cut resistance, to impact protection, explore over 20 styles of hand protection as small as XXS to ensure the proper fit, grip and protection for smaller hands.



Multi-Activity Glove

GENERAL PURPOSE



GP2970

- Genuine deer split leather
- Internal padded palm for extra security and a snug fit
- AirMesh™ ultra-breathable back provides ultimate comfort and support

Ideal for handling heavy material, operating machinery, MRO and more...

Nitrile Coating



GP34500

- Comfortable breathable liner for all-day use
- Ideal for light maintenance applications
- 13 gauge



GP34800

- High dexterity and tactility
- Tough foam nitrile coating for improved grip and durability
- Silicone-free
- 15 gauge



GP348264

- High tactile sensitivity and dexterity
- 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- 15 gauge

MADE WITH ALOE VERA & VITAMIN E



▲ GP34874



▲ GP34875



▲ GP34876

MAXIFLEX® ULTIMATE™

- High tactile sensitivity and dexterity
- Designed and developed with 360° breathability through the use of ATG's patented AIRTech® platform
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Silicone-free
- 15 gauge



▲ GP34844



▲ GP34845



▲ GP34846

MAXIFLEX® ENDURANCE™

- High tactile sensitivity and dexterity
- Patented Micro-Foam nitrile coating offers 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Micro-dots provide increased durability
- 15 gauge

CUT RESISTANT

Polyurethane Coating



ANSI
A2

GP16150

- Liner/coating hides dirt for longer wear
- Reliable and versatile glove for multi-purpose applications
- 13 gauge



ANSI
A2

GP16322

- Premium grade
- Bright color helps in-hand visibility for handling small components
- 18 gauge



ANSI
A4

GP16560

- Best-selling G-Tek® medium cut glove
- Flexible liner shell with thin coating for precision work
- 13 gauge



ANSI
A4

GP19D322

- Ideal for handling and assembly of small parts
- Extremely comfortable and dexterous
- 13 gauge



▲ GP443445



▲ GP443455



▲ GP443745



▲ GP443755

ANSI
A3

MAXICUT® ULTRA

- Breathable cut resistance and premium performance
- Secure dry and light oily grip
- Thumb reinforcement for added durability
- Patented Nitrile MicroFoam coating offers 360° breathability
- 15 gauge

Impact Protection Gloves



ANSI
A7



GP9916

- Top grain goatskin
- Kevlar® blended liner provides superior cut protection
- Knuckle and dorsal guards for medium-duty impact protection



ANSI
A4



GP9120

- Sheepskin leather is soft and durable
- Aramid-blended liner provides excellent cut resistance
- Knuckle and dorsal guards for maximum back-of-hand impact protection



GP997KB

- Top grain split cowhide
- Hi-Vis Thermo Plastic Rubber (TPR) molded knuckle and dorsal guards for maximum protection
- Keystone thumb

Cut & Abrasion Resistant



ANSI
A4

GP09K1630

- Kevlar® blended shell provides excellent cut protection
- Foam nitrile coating provides good grip and excellent abrasion resistance
- 13 gauge



ANSI
A3

GP09K1310

- Kevlar® fiber shell provides cut resistance and heat protection
- Crinkle latex coating provides superior grip in wet/dry conditions
- 10 gauge



ANSI
A7

GP09K1600

- Resistant to light heat and sparks
- Ideal for handling heavy sharp parts in oily environments
- 13 gauge



Foot Protection

BOSS® footwear is designed with injection-molded technology and an energy-absorbing outsole resulting in excellent comfort and protection across multiple industries. PIP® offers sizes as small as women's size 8 in order to keep optimal stock levels available for women in need of foot protection on the job.

FOOTWEAR PROTECTION

PVC Boots

16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- ▶ Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- ▶ Energy absorbing tread adds all-day comfort
- ▶ Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- ▶ Tough outsole for good abrasion resistance
- ▶ Flexible upper material stays supple in cold temperatures to make walking easier
- ▶ Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- ▶ Lower profile "kick off" ledge on back of boots for ease of removal
- ▶ Meets ASTM F2413-18 M/I/C Impact and Compression
- ▶ CSA certified

APPLICATIONS

-  CONSTRUCTION
-  REMEDIATION
-  ENVIRONMENTAL CLEAN UP
-  FORESTRY
-  CONCRETE WORK
-  MUNICIPAL



**FULL SAFETY
STEEL TOE
& MIDSOLE**

STYLE	MATERIAL	COLOR	LENGTH	TOE TYPE	STEEL SHANK	STEEL MIDSOLE	TREAD PATTERN	ASTM F2413 COMPLIANT	CSA COMPLIANT	SIZES
PC383820	PVC	Black	16"	Steel	No	Yes	Cleated	Yes	Yes	6-14

Boot Size Conversion Chart

	STOCK									
BOSS' BOOT SIZE	6	7	8	9	10	11	12	13	14	
MEN'S SHOE SIZE	6	7	8	9	10	11	12	13	14	
WOMEN'S SHOE SIZE	8	9	10	11	12	-	-	-	-	

*Contact your PIP sales representative for sizes smaller than a women's 8

FALL PROTECTION

Miss-Dyna™ X-Trend™ Aluminum



FPVW04DG

Easy to Don Lightweight Harness with Integrated Padding and 4 Points of Adjustment

Ideal for female workers where the traditional H-Style harness does not fit properly around the user's chest, this design provides a larger range of mobility. It is also optimal for ladder climbing as there is less slack with the front D-Ring vs H-Style harnesses. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

Fall Arrest			
STYLE	CLASS	D-RING	LEG STRAP CONNECTORS
FPVW01D	A	B	Aluminum Bayonet
Fall Arrest / Ladder Climbing Harnesses			
FPVW02D	A/L	F/B	Aluminum Bayonet
FPVW02DG	A/L	F/B	Tongue Buckles
Work Positioning / Confined Space Harnesses			
FPVW04D	A/P/L	F/B/S	Aluminum Bayonet
FPVW04DG	A/P/L	F/B/S	Tongue Buckles



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent | Metallic D-ring: F Front B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)

SRL



FP1101W

PERSONAL SELF-RETRACTING LIFELINES (SRL)

- ▶ Tested and CSA certified for smaller persons starting at 130 lb and going up to 310 lb (59 kg to 140 kg)
- ▶ Manufactured with 1" UHMWPE/ Polyester webbing
- ▶ Can be connected to a harness or to an anchor
- ▶ A clear composite housing facilitates inspections

FP1101D - Double-leg unit

HEAD-TO-TOE PPE

Respirators

272-RPRF88

JSP® FORCE TYPHOON™ 8 HALF-MASK REUSABLE RESPIRATOR

- ▶ Fully adjustable 4-point cradle suspension
- ▶ Lightweight durable thermoplastic rubber mask
- ▶ Low resistance Typhoon™ exhalation valve



272-RPRF8810/20/30 - Small/Medium/Large

272-RPRF4004 - P100 encased filters

272-RPD425N95

JSP® SPRINGFIT™ N95 FLAT FOLD RESPIRATOR

- ▶ Secure fit with the use of a unique endoskeleton structure
- ▶ Typhoon™ valve tested to -40°C (-40°F)
- ▶ Compact fold flat design is easily pocketed



RPD714N95

DYNAMIC® DELUXE N95 RESPIRATOR WITH VALVE

- ▶ Deluxe butterfly valve
- ▶ Ultrasonically welded adjustable straps
- ▶ Closed-cell nose pad



RPD513N95

DYNAMIC® STANDARD N95 RESPIRATOR

- ▶ Curved nose clip
- ▶ Ultrasonically welded adjustable straps
- ▶ Open foam nose pad



Respirators with adjustable straps, to accommodate users with smaller head sizes and with longer hair.

First Aid Kits



Preparedness on the Worksite

PIP DYNAMIC® FIRST AID KITS

ASSORTED

- ▶ Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- ▶ Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

Refer to our [First Aid Kit](#) product page for our complete assortment, including the below CSA Z1220-17 standard kits:

TYPE	METAL BOX	NYLON POUCH	PLASTIC BOX	REFILL
1: PERSONAL	FAKCSAT1BM	FAKCSAT1BN	FAKCSAT1BP	FAKCSAT1BR
2: SMALL	FAKCSAT2SBM	FAKCSAT2SBN	FAKCSAT2SBP	FAKCSAT2SBR
2: MEDIUM	FAKCSAT2MBM	FAKCSAT2MBN	FAKCSAT2MBP	FAKCSAT2MBR
2: LARGE	FAKCSAT2LBM	FAKCSAT2LBN	FAKCSAT2LBP	FAKCSAT2LBR
3: SMALL	FAKCSAT3SBM	FAKCSAT3SBN	FAKCSAT3SBP	FAKCSAT3SBR
3: MEDIUM	FAKCSAT3MBM	FAKCSAT3MBN	FAKCSAT3MBP	FAKCSAT3MBR
3: LARGE	FAKCSAT3LBM	FAKCSAT3LBN	FAKCSAT3LBP	FAKCSAT3LBR



PIP Canada Ltd.

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca